
Technical Sheet

DWC
Drywall to Timber Screw

The DWC screw is designed for fixing drywall to timber. The screw features a sharp point, coarse thread and bugle head which provides a neat finish in the drywall. The DWC is CE marked to EN14566 and has a grey phosphate coating making it suitable for use indoors.







Features

Material

- Steel - Grey phosphate coating

Benefits

- CE marked to EN14566
- Bugle head
- Sharp point
- Coarse thread
- PH2 driver bits included (BIT2PE)

Applications

Support

- Suitable for fixing to solid wood, composite wood, glued laminate and OSB


Common Applications

- Plasterboard to timber

Technical Sheet

DWC
Drywall to Timber Screw


Technical Data





Dimensions and characteristics values

Reference	Fasteners Dimensions				
	Product Dimensions[mm]	QD information		Other	
	l[mm]	Screws qty per strip	Compatible device	Screws qty per box	Weight[kg]
DWC3925PE	25	30.0	QDPR051E / QD76KE	2500.0	0.002
DWC3930PE	30	30.0	QDPR051E / QD76KE	2500.0	0.002
DWC3935PE	35	30.0	QDPR051E / QD76KE	2500.0	0.002
DWC3940PE	40	30.0	QDPR051E / QD76KE	2500.0	0.002
DWC3945PE	45	30.0	QDPR051E / QD76KE	2000.0	0.003
DWC3955PE	55	30.0	QD76KE	2000.0	0.003
DWC3965PE	65	30.0	QD76KE	1500.0	0.005





Product Dimensions UK

Reference	Fasteners Dimensions										
	Other				Product Dimensions[mm]				QD information		
	Tun / DB nr.	NOB nr.	Screws qty per box	Weight[kg]	Ø Head[mm]	Thread diameter[mm]	d1[mm]	l[mm]	Screws qty per strip	Max. rotation speed[tr/min]	Compatible device
DWC3925PE	-	-	2500.0	0.002	8.1	4	2.5	25	30.0	2500 - 6000	QDPR051E / QD76KE
DWC3930PE	1382538	42947546	2500.0	0.002	8.1	4	2.5	30	30.0	2500 - 6000	QDPR051E / QD76KE
DWC3935PE	-	-	2500.0	0.002	8.1	4	2.5	35	30.0	2500 - 6000	QDPR051E / QD76KE
DWC3940PE	1382540	-	2500.0	0.002	8.1	4	2.5	40	30.0	2500 - 6000	QDPR051E / QD76KE
DWC3945PE	-	-	2000.0	0.003	8.1	4	2.5	45	30.0	2500 - 6000	QDPR051E / QD76KE
DWC3955PE	1382548	42947584	2000.0	0.003	8.1	4	2.5	55	30.0	2500 - 6000	QD76KE
DWC3965PE	1382554	42947592	1500.0	0.005	8.1	4	2.5	65	30.0	2500 - 6000	QD76KE

DWC
Drywall to Timber Screw

Options





Single Thread



Tapered tip

Copyright by Simpson Strong-Tie®