
Technical Sheet

ANPS
Nail plate angle bracket

he ANPS angle brackets are suitable for simple and light timber construction without static claim.







Features

Material

Steel quality:
S250GD + Z275 according to DIN EN10346

Corrosion protection:
275 g / m galvanized on both sides 20mm

Benefits

• Optimal use in many areas. The number of openings allows different combinations of connectivity, load according to ETA

Applications

Applicatons

Supporting member:
Solid wood, engineered wood
Supported member:
Solid wood, engineered wood


Scope


- The ANP angle connector of perforated sheets are suitable for cross connections, replacements and beam / post connections.

Technical Sheet

ANPS
Nail plate angle bracket

Technical Data






Product Dimensions

Reference	Connector Dimensions									
	Other				Product Dimensions[mm]				Joist[mm]	Flange B[mm]
	Tun / DB nr.	NOB nr.	Qty per Box	Weight[kg]	A[mm]	B[mm]	C[mm]	Thickness[mm]	Round Ø5[mm]	Round Ø5[mm]
ANPS204425	4733051	21220850	200.0	0.031	42	42	25	2	2	2
ANPS204440	5104717	43910746	200.0	0.054	42	42	40	2	3	3
ANPS204625	4733069	21220868	200.0	0.037	62	42	25	2	3	2
ANPS204460	1292252	42290254	200.0	0.07	42	42	60	2	5	5
ANPS206625	4733077	21220876	200.0	0.044	62	62	25	2	3	3
ANPS206640	5303830	43910765	100.0	0.071	62	62	40	2	5	5
ANPS206650	1419049	46403352	150.0	0.09	62	62	50	2	6	6
ANPS206660	1292253	42163342	100.0	0.11	62	62	60	2	8	8
ANPS206680	5804520	42290265	100.0	0.14	62	62	80	2	11	11
ANPS208860	1419051	43910792	100.0	0.14	82	82	60	2	10	10
ANPS208880	5303832	43910803	50.0	0.19	82	82	80	2	14	14

Installation

Fasteners

- The fixing needs to be done with CNA4,0xl threaded nails or CSA5,0xl screws.



Copyright by Simpson Strong-Tie®